

HIV Infection Cases Reported during 2003
(from the 01/15/04 HARS data set)

EMA = San Antonio

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	1	0	1
		% within Sex	.5%	.0%	.4%
	1 (12-23 mo)	Count	0	1	1
		% within Sex	.0%	2.8%	.4%
	2-4	Count	0	2	2
		% within Sex	.0%	5.6%	.9%
	13-19	Count	5	2	7
		% within Sex	2.5%	5.6%	3.0%
	20-24	Count	30	6	36
		% within Sex	15.2%	16.7%	15.4%
	25-29	Count	31	5	36
		% within Sex	15.7%	13.9%	15.4%
	30-34	Count	44	6	50
		% within Sex	22.2%	16.7%	21.4%
	35-39	Count	39	6	45
		% within Sex	19.7%	16.7%	19.2%
	40-44	Count	30	5	35
		% within Sex	15.2%	13.9%	15.0%
	45-49	Count	6	1	7
		% within Sex	3.0%	2.8%	3.0%
	50-54	Count	7	1	8
		% within Sex	3.5%	2.8%	3.4%
	55-59	Count	4	1	5
		% within Sex	2.0%	2.8%	2.1%
	60-64	Count	1	0	1
		% within Sex	.5%	.0%	.4%
Total		Count	198	36	234
		% within Sex	100.0%	100.0%	100.0%

a. EMA = San Antonio

HIV Infection Cases Reported during 2003
(from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	62	5	67
		% within Sex	31.3%	13.9%	28.6%
	African American	Count	27	12	39
		% within Sex	13.6%	33.3%	16.7%
	Hispanic	Count	106	18	124
		% within Sex	53.5%	50.0%	53.0%
	Asian-Pacific Islander	Count	0	1	1
		% within Sex	.0%	2.8%	.4%
	Not Specified	Count	3	0	3
		% within Sex	1.5%	.0%	1.3%
Total	Count	198	36	234	
	% within Sex	100.0%	100.0%	100.0%	

a. EMA = San Antonio

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	89	0	89
		% within Sex	44.9%	.0%	38.0%
	IDU	Count	14	5	19
		% within Sex	7.1%	13.9%	8.1%
	M-M & IDU	Count	5	0	5
		% within Sex	2.5%	.0%	2.1%
	Heterosexual Contact	Count	4	10	14
		% within Sex	2.0%	27.8%	6.0%
	Not Classified	Count	85	18	103
		% within Sex	42.9%	50.0%	44.0%
	Ped Parent at Risk	Count	1	3	4
		% within Sex	.5%	8.3%	1.7%
Total	Count	198	36	234	
	% within Sex	100.0%	100.0%	100.0%	

a. EMA = San Antonio

HIV Infection Cases Reported during 2003
(from the 01/15/04 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/ Adolescent	
Race-Ethnicity	White Non-Hispanic	Count	0	67	67
		% within Adult-Ped	.0%	29.1%	28.6%
	African American	Count	1	38	39
		% within Adult-Ped	25.0%	16.5%	16.7%
	Hispanic	Count	3	121	124
		% within Adult-Ped	75.0%	52.6%	53.0%
	Asian-Pacific Islander	Count	0	1	1
		% within Adult-Ped	.0%	.4%	.4%
	Not Specified	Count	0	3	3
		% within Adult-Ped	.0%	1.3%	1.3%
Total	Count	4	230	234	
	% within Adult-Ped	100.0%	100.0%	100.0%	

a. EMA = San Antonio

HIV Infection Cases Reported during 2002
(from the 01/15/04 HARS data set)

EMA = San Antonio

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	2	0	2
		% within Sex	.8%	.0%	.7%
	5-12	Count	1	0	1
		% within Sex	.4%	.0%	.3%
	13-19	Count	10	4	14
		% within Sex	4.1%	6.8%	4.6%
	20-24	Count	27	6	33
		% within Sex	11.0%	10.2%	10.8%
	25-29	Count	56	9	65
		% within Sex	22.8%	15.3%	21.3%
	30-34	Count	47	13	60
		% within Sex	19.1%	22.0%	19.7%
	35-39	Count	39	9	48
		% within Sex	15.9%	15.3%	15.7%
	40-44	Count	30	8	38
		% within Sex	12.2%	13.6%	12.5%
	45-49	Count	18	6	24
		% within Sex	7.3%	10.2%	7.9%
	50-54	Count	7	1	8
		% within Sex	2.8%	1.7%	2.6%
	55-59	Count	3	1	4
		% within Sex	1.2%	1.7%	1.3%
	60-64	Count	3	2	5
		% within Sex	1.2%	3.4%	1.6%
	70+	Count	3	0	3
		% within Sex	1.2%	.0%	1.0%
Total		Count	246	59	305
		% within Sex	100.0%	100.0%	100.0%

a. EMA = San Antonio

HIV Infection Cases Reported during 2002
(from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	75	13	88
		% within Sex	30.5%	22.0%	28.9%
	African American	Count	37	13	50
		% within Sex	15.0%	22.0%	16.4%
	Hispanic	Count	130	32	162
		% within Sex	52.8%	54.2%	53.1%
	Asian-Pacific Islander	Count	1	0	1
		% within Sex	.4%	.0%	.3%
	Not Specified	Count	3	1	4
		% within Sex	1.2%	1.7%	1.3%
Total	Count	246	59	305	
	% within Sex	100.0%	100.0%	100.0%	

a. EMA = San Antonio

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	150	0	150
		% within Sex	61.0%	.0%	49.2%
	IDU	Count	18	12	30
		% within Sex	7.3%	20.3%	9.8%
	M-M & IDU	Count	7	0	7
		% within Sex	2.8%	.0%	2.3%
	Heterosexual Contact	Count	14	28	42
		% within Sex	5.7%	47.5%	13.8%
	Transfusion	Count	1	1	2
		% within Sex	.4%	1.7%	.7%
	Not Classified	Count	53	18	71
		% within Sex	21.5%	30.5%	23.3%
	Ped Parent at Risk	Count	2	0	2
		% within Sex	.8%	.0%	.7%
	Ped Other-Undet	Count	1	0	1
		% within Sex	.4%	.0%	.3%
Total		Count	246	59	305
		% within Sex	100.0%	100.0%	100.0%

a. EMA = San Antonio

HIV Infection Cases Reported during 2002
(from the 01/15/04 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/ Adolescent	
Race-Ethnicity	White Non-Hispanic	Count	1	87	88
		% within Adult-Ped	33.3%	28.8%	28.9%
	African American	Count	1	49	50
		% within Adult-Ped	33.3%	16.2%	16.4%
	Hispanic	Count	1	161	162
		% within Adult-Ped	33.3%	53.3%	53.1%
	Asian-Pacific Islander	Count	0	1	1
		% within Adult-Ped	.0%	.3%	.3%
	Not Specified	Count	0	4	4
		% within Adult-Ped	.0%	1.3%	1.3%
	Total	Count	3	302	305
		% within Adult-Ped	100.0%	100.0%	100.0%

a. EMA = San Antonio

Cumulative Reported HIV Infection Cases through 12/31/03
(from the 01/15/04 HARS data set)

EMA = San Antonio

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	4	1	5
		% within Sex	.5%	.5%	.5%
	1 (12-23 mo)	Count	0	1	1
		% within Sex	.0%	.5%	.1%
	2-4	Count	0	2	2
		% within Sex	.0%	.9%	.2%
	5-12	Count	1	1	2
		% within Sex	.1%	.5%	.2%
	13-19	Count	30	12	42
		% within Sex	3.4%	5.5%	3.8%
	20-24	Count	108	38	146
		% within Sex	12.3%	17.5%	13.4%
	25-29	Count	184	36	220
		% within Sex	21.0%	16.6%	20.1%
	30-34	Count	183	41	224
		% within Sex	20.9%	18.9%	20.5%
	35-39	Count	161	32	193
		% within Sex	18.4%	14.7%	17.7%
	40-44	Count	100	29	129
		% within Sex	11.4%	13.4%	11.8%
	45-49	Count	48	12	60
		% within Sex	5.5%	5.5%	5.5%
	50-54	Count	31	5	36
		% within Sex	3.5%	2.3%	3.3%
	55-59	Count	16	5	21
		% within Sex	1.8%	2.3%	1.9%
	60-64	Count	5	2	7
		% within Sex	.6%	.9%	.6%
	70+	Count	5	0	5
		% within Sex	.6%	.0%	.5%
	Total	Count	876	217	1093
		% within Sex	100.0%	100.0%	100.0%

a. EMA = San Antonio

Cumulative Reported HIV Infection Cases through 12/31/03
(from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	296	56	352
		% within Sex	33.8%	25.8%	32.2%
	African American	Count	116	55	171
		% within Sex	13.2%	25.3%	15.6%
	Hispanic	Count	455	103	558
		% within Sex	51.9%	47.5%	51.1%
	Asian-Pacific Islander	Count	3	1	4
		% within Sex	.3%	.5%	.4%
	Not Specified	Count	6	2	8
		% within Sex	.7%	.9%	.7%
Total	Count	876	217	1093	
	% within Sex	100.0%	100.0%	100.0%	

a. EMA = San Antonio

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	505	0	505
		% within Sex	57.6%	.0%	46.2%
	IDU	Count	64	48	112
		% within Sex	7.3%	22.1%	10.2%
	M-M & IDU	Count	27	0	27
		% within Sex	3.1%	.0%	2.5%
	Heterosexual Contact	Count	34	85	119
		% within Sex	3.9%	39.2%	10.9%
	Transfusion	Count	2	1	3
		% within Sex	.2%	.5%	.3%
	Not Classified	Count	239	78	317
		% within Sex	27.3%	35.9%	29.0%
	Ped Parent at Risk	Count	4	4	8
		% within Sex	.5%	1.8%	.7%
	Ped Other-Undet	Count	1	1	2
		% within Sex	.1%	.5%	.2%
Total	Count	876	217	1093	
	% within Sex	100.0%	100.0%	100.0%	

a. EMA = San Antonio

Cumulative Reported HIV Infection Cases through 12/31/03
(from the 01/15/04 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/ Adolescent	
Race-Ethnicity	White Non-Hispanic	Count	2	350	352
		% within Adult-Ped	20.0%	32.3%	32.2%
	African American	Count	4	167	171
		% within Adult-Ped	40.0%	15.4%	15.6%
	Hispanic	Count	4	554	558
		% within Adult-Ped	40.0%	51.2%	51.1%
	Asian-Pacific Islander	Count	0	4	4
		% within Adult-Ped	.0%	.4%	.4%
	Not Specified	Count	0	8	8
		% within Adult-Ped	.0%	.7%	.7%
Total	Count	10	1083	1093	
	% within Adult-Ped	100.0%	100.0%	100.0%	

a. EMA = San Antonio

Living Reported HIV Infection Cases through 12/31/03
(from the 01/15/04 HARS data set)

EMA = San Antonio

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	4	1	5
		% within Sex	.5%	.5%	.5%
	1 (12-23 mo)	Count	0	1	1
		% within Sex	.0%	.5%	.1%
	2-4	Count	0	2	2
		% within Sex	.0%	.9%	.2%
	5-12	Count	1	1	2
		% within Sex	.1%	.5%	.2%
	13-19	Count	30	12	42
		% within Sex	3.5%	5.6%	3.9%
	20-24	Count	108	38	146
		% within Sex	12.5%	17.8%	13.5%
	25-29	Count	183	36	219
		% within Sex	21.2%	16.8%	20.3%
	30-34	Count	183	40	223
		% within Sex	21.2%	18.7%	20.7%
	35-39	Count	158	32	190
		% within Sex	18.3%	15.0%	17.6%
	40-44	Count	99	27	126
		% within Sex	11.5%	12.6%	11.7%
	45-49	Count	46	12	58
		% within Sex	5.3%	5.6%	5.4%
	50-54	Count	28	5	33
		% within Sex	3.2%	2.3%	3.1%
	55-59	Count	15	5	20
		% within Sex	1.7%	2.3%	1.9%
	60-64	Count	5	2	7
		% within Sex	.6%	.9%	.6%
	70+	Count	4	0	4
		% within Sex	.5%	.0%	.4%
	Total	Count	864	214	1078
		% within Sex	100.0%	100.0%	100.0%

a. EMA = San Antonio

Living Reported HIV Infection Cases through 12/31/03
(from the 01/15/04 HARS data set)

Current Age * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Current Age	0 (0-11 mo)	Count	1	0	1
		% within Sex	.1%	.0%	.1%
	2-4	Count	2	3	5
		% within Sex	.2%	1.4%	.5%
	5-12	Count	1	1	2
		% within Sex	.1%	.5%	.2%
	13-19	Count	6	5	11
		% within Sex	.7%	2.3%	1.0%
	20-24	Count	65	17	82
		% within Sex	7.5%	7.9%	7.6%
	25-29	Count	91	33	124
		% within Sex	10.5%	15.4%	11.5%
	30-34	Count	166	35	201
		% within Sex	19.2%	16.4%	18.6%
	35-39	Count	174	35	209
		% within Sex	20.1%	16.4%	19.4%
	40-44	Count	172	39	211
		% within Sex	19.9%	18.2%	19.6%
	45-49	Count	86	24	110
		% within Sex	10.0%	11.2%	10.2%
	50-54	Count	53	9	62
		% within Sex	6.1%	4.2%	5.8%
	55-59	Count	23	5	28
		% within Sex	2.7%	2.3%	2.6%
	60-64	Count	17	7	24
		% within Sex	2.0%	3.3%	2.2%
	65-69	Count	3	1	4
		% within Sex	.3%	.5%	.4%
	70+	Count	4	0	4
		% within Sex	.5%	.0%	.4%
Total	Count	864	214	1078	
	% within Sex	100.0%	100.0%	100.0%	

a. EMA = San Antonio

Living Reported HIV Infection Cases through 12/31/03
(from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	293	55	348
		% within Sex	33.9%	25.7%	32.3%
	African American	Count	115	54	169
		% within Sex	13.3%	25.2%	15.7%
	Hispanic	Count	447	102	549
		% within Sex	51.7%	47.7%	50.9%
	Asian-Pacific Islander	Count	3	1	4
		% within Sex	.3%	.5%	.4%
	Not Specified	Count	6	2	8
		% within Sex	.7%	.9%	.7%
Total	Count	864	214	1078	
	% within Sex	100.0%	100.0%	100.0%	

a. EMA = San Antonio

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	503	0	503
		% within Sex	58.2%	.0%	46.7%
	IDU	Count	64	46	110
		% within Sex	7.4%	21.5%	10.2%
	M-M & IDU	Count	26	0	26
		% within Sex	3.0%	.0%	2.4%
	Heterosexual Contact	Count	34	84	118
		% within Sex	3.9%	39.3%	10.9%
	Transfusion	Count	2	1	3
		% within Sex	.2%	.5%	.3%
	Not Classified	Count	230	78	308
		% within Sex	26.6%	36.4%	28.6%
	Ped Parent at Risk	Count	4	4	8
		% within Sex	.5%	1.9%	.7%
	Ped Other-Undet	Count	1	1	2
		% within Sex	.1%	.5%	.2%
Total	Count	864	214	1078	
	% within Sex	100.0%	100.0%	100.0%	

a. EMA = San Antonio

Living Reported HIV Infection Cases through 12/31/03
(from the 01/15/04 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/ Adolescent	
Race-Ethnicity	White Non-Hispanic	Count	2	346	348
		% within Adult-Ped	20.0%	32.4%	32.3%
	African American	Count	4	165	169
		% within Adult-Ped	40.0%	15.4%	15.7%
	Hispanic	Count	4	545	549
		% within Adult-Ped	40.0%	51.0%	50.9%
	Asian-Pacific Islander	Count	0	4	4
		% within Adult-Ped	.0%	.4%	.4%
	Not Specified	Count	0	8	8
		% within Adult-Ped	.0%	.7%	.7%
	Total	Count	10	1068	1078
		% within Adult-Ped	100.0%	100.0%	100.0%

a. EMA = San Antonio

AIDS Cases Reported during 2003
(from the 01/15/04 HARS data set)

EMA = San Antonio

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	13-19	Count	0	1	1
		% within Sex	.0%	5.0%	.6%
	20-24	Count	5	0	5
		% within Sex	3.3%	.0%	2.9%
	25-29	Count	15	1	16
		% within Sex	9.9%	5.0%	9.3%
	30-34	Count	26	2	28
		% within Sex	17.1%	10.0%	16.3%
	35-39	Count	39	6	45
		% within Sex	25.7%	30.0%	26.2%
	40-44	Count	30	4	34
		% within Sex	19.7%	20.0%	19.8%
	45-49	Count	23	2	25
		% within Sex	15.1%	10.0%	14.5%
50-54	Count	7	1	8	
	% within Sex	4.6%	5.0%	4.7%	
55-59	Count	6	2	8	
	% within Sex	3.9%	10.0%	4.7%	
70+	Count	1	1	2	
	% within Sex	.7%	5.0%	1.2%	
Total		Count	152	20	172
		% within Sex	100.0%	100.0%	100.0%

a. EMA = San Antonio

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	33	4	37
		% within Sex	21.7%	20.0%	21.5%
	African American	Count	18	6	24
		% within Sex	11.8%	30.0%	14.0%
	Hispanic	Count	100	10	110
		% within Sex	65.8%	50.0%	64.0%
	Asian-Pacific Islander	Count	1	0	1
		% within Sex	.7%	.0%	.6%
	Total		152	20	172
			100.0%	100.0%	100.0%

a. EMA = San Antonio

AIDS Cases Reported during 2003
(from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	87	0	87
		% within Sex	57.2%	.0%	50.6%
	IDU	Count	11	2	13
		% within Sex	7.2%	10.0%	7.6%
	M-M & IDU	Count	5	0	5
		% within Sex	3.3%	.0%	2.9%
	Heterosexual Contact	Count	7	8	15
		% within Sex	4.6%	40.0%	8.7%
	Not Classified	Count	42	10	52
		% within Sex	27.6%	50.0%	30.2%
Total	Count	152	20	172	
	% within Sex	100.0%	100.0%	100.0%	

a. EMA = San Antonio

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/ Adolescent	
Race-Ethnicity	White Non-Hispanic	Count	37	37
		% within Adult-Ped	21.5%	21.5%
	African American	Count	24	24
		% within Adult-Ped	14.0%	14.0%
	Hispanic	Count	110	110
		% within Adult-Ped	64.0%	64.0%
	Asian-Pacific Islander	Count	1	1
		% within Adult-Ped	.6%	.6%
Total	Count	172	172	
	% within Adult-Ped	100.0%	100.0%	

a. EMA = San Antonio

AIDS Cases Reported during 2002
(from the 01/15/04 HARS data set)

EMA = San Antonio

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	13-19	Count	2	0	2
		% within Sex	1.3%	.0%	1.1%
	20-24	Count	5	4	9
		% within Sex	3.3%	13.3%	5.0%
	25-29	Count	11	2	13
		% within Sex	7.3%	6.7%	7.2%
	30-34	Count	32	5	37
		% within Sex	21.2%	16.7%	20.4%
	35-39	Count	40	5	45
		% within Sex	26.5%	16.7%	24.9%
	40-44	Count	24	6	30
		% within Sex	15.9%	20.0%	16.6%
	45-49	Count	18	3	21
		% within Sex	11.9%	10.0%	11.6%
	50-54	Count	11	3	14
		% within Sex	7.3%	10.0%	7.7%
	55-59	Count	2	1	3
		% within Sex	1.3%	3.3%	1.7%
	60-64	Count	1	0	1
		% within Sex	.7%	.0%	.6%
	65-69	Count	5	1	6
		% within Sex	3.3%	3.3%	3.3%
Total	Count	151	30	181	
	% within Sex	100.0%	100.0%	100.0%	

a. EMA = San Antonio

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	42	2	44
		% within Sex	27.8%	6.7%	24.3%
	African American	Count	21	9	30
		% within Sex	13.9%	30.0%	16.6%
	Hispanic	Count	83	18	101
		% within Sex	55.0%	60.0%	55.8%
	Asian-Pacific Islander	Count	2	1	3
		% within Sex	1.3%	3.3%	1.7%
	Am Indian-Alaskan	Count	1	0	1
		% within Sex	.7%	.0%	.6%
	Not Specified	Count	2	0	2
		% within Sex	1.3%	.0%	1.1%
Total	Count	151	30	181	
	% within Sex	100.0%	100.0%	100.0%	

a. EMA = San Antonio

AIDS Cases Reported during 2002
(from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	91	0	91
		% within Sex	60.3%	.0%	50.3%
	IDU	Count	18	4	22
		% within Sex	11.9%	13.3%	12.2%
	M-M & IDU	Count	2	0	2
		% within Sex	1.3%	.0%	1.1%
	Heterosexual Contact	Count	9	13	22
		% within Sex	6.0%	43.3%	12.2%
	Transfusion	Count	1	0	1
		% within Sex	.7%	.0%	.6%
	Not Classified	Count	30	13	43
		% within Sex	19.9%	43.3%	23.8%
	Total		Count	151	181
			% within Sex	100.0%	100.0%

a. EMA = San Antonio

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/ Adolescent	
Race-Ethnicity	White Non-Hispanic	Count	44	44
		% within Adult-Ped	24.3%	24.3%
	African American	Count	30	30
		% within Adult-Ped	16.6%	16.6%
	Hispanic	Count	101	101
		% within Adult-Ped	55.8%	55.8%
	Asian-Pacific Islander	Count	3	3
		% within Adult-Ped	1.7%	1.7%
	Am Indian-Alaskan	Count	1	1
		% within Adult-Ped	.6%	.6%
	Not Specified	Count	2	2
		% within Adult-Ped	1.1%	1.1%
	Total		Count	181
			% within Adult-Ped	100.0%

a. EMA = San Antonio

Cumulative Reported AIDS Cases through 12/31/03
(from the 01/15/04 HARS data set)

EMA = San Antonio

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	4	5	9
		% within Sex	.1%	1.2%	.2%
	1 (12-23 mo)	Count	5	3	8
		% within Sex	.1%	.7%	.2%
	2-4	Count	3	1	4
		% within Sex	.1%	.2%	.1%
	5-12	Count	3	3	6
		% within Sex	.1%	.7%	.1%
	13-19	Count	30	7	37
		% within Sex	.7%	1.7%	.8%
	20-24	Count	169	34	203
		% within Sex	4.1%	8.3%	4.5%
	25-29	Count	670	52	722
		% within Sex	16.3%	12.7%	15.9%
	30-34	Count	995	94	1089
		% within Sex	24.1%	22.9%	24.0%
	35-39	Count	893	74	967
		% within Sex	21.7%	18.0%	21.3%
	40-44	Count	597	58	655
		% within Sex	14.5%	14.1%	14.4%
	45-49	Count	363	30	393
		% within Sex	8.8%	7.3%	8.7%
	50-54	Count	188	23	211
		% within Sex	4.6%	5.6%	4.7%
	55-59	Count	93	8	101
		% within Sex	2.3%	1.9%	2.2%
	60-64	Count	63	7	70
		% within Sex	1.5%	1.7%	1.5%
	65-69	Count	29	6	35
		% within Sex	.7%	1.5%	.8%
	70+	Count	17	6	23
		% within Sex	.4%	1.5%	.5%
Total		Count	4122	411	4533
		% within Sex	100.0%	100.0%	100.0%

a. EMA = San Antonio

Cumulative Reported AIDS Cases through 12/31/03
(from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	1578	110	1688
		% within Sex	38.3%	26.8%	37.2%
	African American	Count	458	94	552
		% within Sex	11.1%	22.9%	12.2%
	Hispanic	Count	2061	206	2267
		% within Sex	50.0%	50.1%	50.0%
	Asian-Pacific Islander	Count	11	1	12
		% within Sex	.3%	.2%	.3%
	Am Indian-Alaskan	Count	7	0	7
		% within Sex	.2%	.0%	.2%
	Not Specified	Count	7	0	7
		% within Sex	.2%	.0%	.2%
	Total	Count	4122	411	4533
		% within Sex	100.0%	100.0%	100.0%

a. EMA = San Antonio

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	2868	0	2868
		% within Sex	69.6%	.0%	63.3%
	IDU	Count	366	100	466
		% within Sex	8.9%	24.3%	10.3%
	M-M & IDU	Count	320	0	320
		% within Sex	7.8%	.0%	7.1%
	Hemophiliac	Count	33	1	34
		% within Sex	.8%	.2%	.8%
	Heterosexual Contact	Count	193	216	409
		% within Sex	4.7%	52.6%	9.0%
	Transfusion	Count	38	13	51
		% within Sex	.9%	3.2%	1.1%
	Confirmed Other	Count	0	2	2
		% within Sex	.0%	.5%	.0%
	Not Classified	Count	287	67	354
		% within Sex	7.0%	16.3%	7.8%
	Ped Hemophiliac	Count	3	0	3
		% within Sex	.1%	.0%	.1%
	Ped Parent at Risk	Count	11	11	22
		% within Sex	.3%	2.7%	.5%
	Ped Transfusion	Count	3	0	3
		% within Sex	.1%	.0%	.1%
	Ped Confirmed Other	Count	0	1	1
		% within Sex	.0%	.2%	.0%
	Total	Count	4122	411	4533
		% within Sex	100.0%	100.0%	100.0%

a. EMA = San Antonio

Cumulative Reported AIDS Cases through 12/31/03
(from the 01/15/04 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/ Adolescent	
Race-Ethnicity	White Non-Hispanic	Count	8	1680	1688
		% within Adult-Ped	29.6%	37.3%	37.2%
	African American	Count	7	545	552
		% within Adult-Ped	25.9%	12.1%	12.2%
	Hispanic	Count	12	2255	2267
		% within Adult-Ped	44.4%	50.0%	50.0%
	Asian-Pacific Islander	Count	0	12	12
		% within Adult-Ped	.0%	.3%	.3%
	Am Indian-Alaskan	Count	0	7	7
		% within Adult-Ped	.0%	.2%	.2%
	Not Specified	Count	0	7	7
		% within Adult-Ped	.0%	.2%	.2%
	Total	Count	27	4506	4533
		% within Adult-Ped	100.0%	100.0%	100.0%

a. EMA = San Antonio

Living Reported AIDS Cases through 12/31/03
(from the 01/15/04 HARS data set)

EMA = San Antonio

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	0	1	1
		% within Sex	.0%	.4%	.0%
	1 (12-23 mo)	Count	1	2	3
		% within Sex	.1%	.8%	.1%
	2-4	Count	1	1	2
		% within Sex	.1%	.4%	.1%
	5-12	Count	0	2	2
		% within Sex	.0%	.8%	.1%
	13-19	Count	11	6	17
		% within Sex	.6%	2.4%	.8%
	20-24	Count	92	23	115
		% within Sex	4.8%	9.0%	5.2%
	25-29	Count	295	33	328
		% within Sex	15.2%	12.9%	15.0%
	30-34	Count	471	66	537
		% within Sex	24.3%	25.9%	24.5%
	35-39	Count	440	47	487
		% within Sex	22.7%	18.4%	22.2%
	40-44	Count	294	30	324
		% within Sex	15.2%	11.8%	14.8%
	45-49	Count	174	16	190
		% within Sex	9.0%	6.3%	8.7%
	50-54	Count	94	13	107
		% within Sex	4.9%	5.1%	4.9%
	55-59	Count	37	6	43
		% within Sex	1.9%	2.4%	2.0%
	60-64	Count	16	4	20
		% within Sex	.8%	1.6%	.9%
	65-69	Count	7	3	10
		% within Sex	.4%	1.2%	.5%
	70+	Count	3	2	5
		% within Sex	.2%	.8%	.2%
	Total	Count	1936	255	2191
		% within Sex	100.0%	100.0%	100.0%

a. EMA = San Antonio

Living Reported AIDS Cases through 12/31/03
(from the 01/15/04 HARS data set)

Current Age * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Current Age	5-12	Count	1	3	4
		% within Sex	.1%	1.2%	.2%
	13-19	Count	1	3	4
		% within Sex	.1%	1.2%	.2%
	20-24	Count	15	4	19
		% within Sex	.8%	1.6%	.9%
	25-29	Count	56	18	74
		% within Sex	2.9%	7.1%	3.4%
	30-34	Count	192	28	220
		% within Sex	9.9%	11.0%	10.0%
	35-39	Count	415	63	478
		% within Sex	21.4%	24.7%	21.8%
	40-44	Count	502	55	557
		% within Sex	25.9%	21.6%	25.4%
	45-49	Count	349	37	386
		% within Sex	18.0%	14.5%	17.6%
	50-54	Count	205	15	220
		% within Sex	10.6%	5.9%	10.0%
	55-59	Count	110	15	125
		% within Sex	5.7%	5.9%	5.7%
	60-64	Count	53	5	58
		% within Sex	2.7%	2.0%	2.6%
	65-69	Count	22	3	25
		% within Sex	1.1%	1.2%	1.1%
	70+	Count	15	6	21
		% within Sex	.8%	2.4%	1.0%
Total	Count	1936	255	2191	
	% within Sex	100.0%	100.0%	100.0%	

a. EMA = San Antonio

Living Reported AIDS Cases through 12/31/03
(from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	664	61	725
		% within Sex	34.3%	23.9%	33.1%
	African American	Count	236	58	294
		% within Sex	12.2%	22.7%	13.4%
	Hispanic	Count	1020	135	1155
		% within Sex	52.7%	52.9%	52.7%
	Asian-Pacific Islander	Count	7	1	8
		% within Sex	.4%	.4%	.4%
	Am Indian-Alaskan	Count	6	0	6
		% within Sex	.3%	.0%	.3%
	Not Specified	Count	3	0	3
		% within Sex	.2%	.0%	.1%
	Total	Count	1936	255	2191
		% within Sex	100.0%	100.0%	100.0%

a. EMA = San Antonio

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	1303	0	1303
		% within Sex	67.3%	.0%	59.5%
	IDU	Count	197	57	254
		% within Sex	10.2%	22.4%	11.6%
	M-M & IDU	Count	128	0	128
		% within Sex	6.6%	.0%	5.8%
	Hemophiliac	Count	7	1	8
		% within Sex	.4%	.4%	.4%
	Heterosexual Contact	Count	106	140	246
		% within Sex	5.5%	54.9%	11.2%
	Transfusion	Count	6	0	6
		% within Sex	.3%	.0%	.3%
	Not Classified	Count	186	51	237
		% within Sex	9.6%	20.0%	10.8%
	Ped Hemophiliac	Count	1	0	1
		% within Sex	.1%	.0%	.0%
	Ped Parent at Risk	Count	2	5	7
		% within Sex	.1%	2.0%	.3%
	Ped Confirmed Other	Count	0	1	1
		% within Sex	.0%	.4%	.0%
	Total	Count	1936	255	2191
		% within Sex	100.0%	100.0%	100.0%

a. EMA = San Antonio

Living Reported AIDS Cases through 12/31/03
(from the 01/15/04 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/ Adolescent	
Race-Ethnicity	White Non-Hispanic	Count	3	722	725
		% within Adult-Ped	37.5%	33.1%	33.1%
	African American	Count	1	293	294
		% within Adult-Ped	12.5%	13.4%	13.4%
	Hispanic	Count	4	1151	1155
		% within Adult-Ped	50.0%	52.7%	52.7%
	Asian-Pacific Islander	Count	0	8	8
		% within Adult-Ped	.0%	.4%	.4%
	Am Indian-Alaskan	Count	0	6	6
		% within Adult-Ped	.0%	.3%	.3%
	Not Specified	Count	0	3	3
		% within Adult-Ped	.0%	.1%	.1%
	Total	Count	8	2183	2191
		% within Adult-Ped	100.0%	100.0%	100.0%

a. EMA = San Antonio

Prevalent Reported Cases of HIV/AIDS through 12/31/03
(Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

EMA = San Antonio

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	4	2	6
		% within Sex	.1%	.4%	.2%
	1 (12-23 mo)	Count	1	3	4
		% within Sex	.0%	.6%	.1%
	2-4	Count	1	3	4
		% within Sex	.0%	.6%	.1%
	5-12	Count	1	3	4
		% within Sex	.0%	.6%	.1%
	13-19	Count	41	18	59
		% within Sex	1.5%	3.8%	1.8%
	20-24	Count	200	61	261
		% within Sex	7.1%	13.0%	8.0%
	25-29	Count	478	69	547
		% within Sex	17.1%	14.7%	16.7%
	30-34	Count	654	106	760
		% within Sex	23.4%	22.6%	23.2%
	35-39	Count	598	79	677
		% within Sex	21.4%	16.8%	20.7%
	40-44	Count	393	57	450
		% within Sex	14.0%	12.2%	13.8%
	45-49	Count	220	28	248
		% within Sex	7.9%	6.0%	7.6%
	50-54	Count	122	18	140
		% within Sex	4.4%	3.8%	4.3%
	55-59	Count	52	11	63
		% within Sex	1.9%	2.3%	1.9%
	60-64	Count	21	6	27
		% within Sex	.8%	1.3%	.8%
	65-69	Count	7	3	10
		% within Sex	.3%	.6%	.3%
	70+	Count	7	2	9
		% within Sex	.3%	.4%	.3%
Total		Count	2800	469	3269
		% within Sex	100.0%	100.0%	100.0%

a. EMA = San Antonio

Prevalent Reported Cases of HIV/AIDS through 12/31/03
(Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

Current Age * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Current Age	0 (0-11 mo)	Count	1	0	1
		% within Sex	.0%	.0%	.0%
	2-4	Count	2	3	5
		% within Sex	.1%	.6%	.2%
	5-12	Count	2	4	6
		% within Sex	.1%	.9%	.2%
	13-19	Count	7	8	15
		% within Sex	.3%	1.7%	.5%
	20-24	Count	80	21	101
		% within Sex	2.9%	4.5%	3.1%
	25-29	Count	147	51	198
		% within Sex	5.3%	10.9%	6.1%
	30-34	Count	358	63	421
		% within Sex	12.8%	13.4%	12.9%
	35-39	Count	589	98	687
		% within Sex	21.0%	20.9%	21.0%
	40-44	Count	674	94	768
		% within Sex	24.1%	20.0%	23.5%
	45-49	Count	435	61	496
		% within Sex	15.5%	13.0%	15.2%
	50-54	Count	258	24	282
		% within Sex	9.2%	5.1%	8.6%
	55-59	Count	133	20	153
		% within Sex	4.8%	4.3%	4.7%
	60-64	Count	70	12	82
		% within Sex	2.5%	2.6%	2.5%
	65-69	Count	25	4	29
		% within Sex	.9%	.9%	.9%
	70+	Count	19	6	25
		% within Sex	.7%	1.3%	.8%
Total		Count	2800	469	3269
		% within Sex	100.0%	100.0%	100.0%

a. EMA = San Antonio

Prevalent Reported Cases of HIV/AIDS through 12/31/03
(Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	957	116	1073
		% within Sex	34.2%	24.7%	32.8%
	African American	Count	351	112	463
		% within Sex	12.5%	23.9%	14.2%
	Hispanic	Count	1467	237	1704
		% within Sex	52.4%	50.5%	52.1%
	Asian-Pacific Islander	Count	10	2	12
		% within Sex	.4%	.4%	.4%
	Am Indian-Alaskan	Count	6	0	6
		% within Sex	.2%	.0%	.2%
	Not Specified	Count	9	2	11
		% within Sex	.3%	.4%	.3%
	Total	Count	2800	469	3269
		% within Sex	100.0%	100.0%	100.0%

a. EMA = San Antonio

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	1806	0	1806
		% within Sex	64.5%	.0%	55.2%
	IDU	Count	261	103	364
		% within Sex	9.3%	22.0%	11.1%
	M-M & IDU	Count	154	0	154
		% within Sex	5.5%	.0%	4.7%
	Hemophiliac	Count	7	1	8
		% within Sex	.3%	.2%	.2%
	Heterosexual Contact	Count	140	224	364
		% within Sex	5.0%	47.8%	11.1%
	Transfusion	Count	8	1	9
		% within Sex	.3%	.2%	.3%
	Not Classified	Count	416	129	545
		% within Sex	14.9%	27.5%	16.7%
	Ped Hemophiliac	Count	1	0	1
		% within Sex	.0%	.0%	.0%
	Ped Parent at Risk	Count	6	9	15
		% within Sex	.2%	1.9%	.5%
	Ped Confirmed Other	Count	0	1	1
		% within Sex	.0%	.2%	.0%
	Ped Other-Undet	Count	1	1	2
		% within Sex	.0%	.2%	.1%
	Total	Count	2800	469	3269
		% within Sex	100.0%	100.0%	100.0%

a. EMA = San Antonio

Prevalent Reported Cases of HIV/AIDS through 12/31/03
(Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/ Adolescent	
Race-Ethnicity	White Non-Hispanic	Count	5	1068	1073
		% within Adult-Ped	27.8%	32.9%	32.8%
	African American	Count	5	458	463
		% within Adult-Ped	27.8%	14.1%	14.2%
	Hispanic	Count	8	1696	1704
		% within Adult-Ped	44.4%	52.2%	52.1%
	Asian-Pacific Islander	Count	0	12	12
		% within Adult-Ped	.0%	.4%	.4%
	Am Indian-Alaskan	Count	0	6	6
		% within Adult-Ped	.0%	.2%	.2%
	Not Specified	Count	0	11	11
		% within Adult-Ped	.0%	.3%	.3%
	Total	Count	18	3251	3269
		% within Adult-Ped	100.0%	100.0%	100.0%

a. EMA = San Antonio